

บริษัท อุดมโลหะกิจ (1975) จำกัด

และ

บริษัท ยู เอ็ม ที สตีล จำกัด



จำหน่ายเหล็กไอบีม (I-Beam)



I Beam	Kg/M
I 150x75x5.5x9.5 mm.	17.1
I 200x100x7.0x10.0 mm.	26.0
I 200x150x9.0x16.0 mm.	50.4
I 250x125 x7.5x12.5 mm.	38.3
I 250x125x10.0x19.0mm.	55.5
I 300x150x8.0x13.0 mm.	48.3
I 300x150x10.0x18.5 mm.	65.5
I 300x150x11.5x22.0 mm./	76.8
I 350x150x 9.0x15.0 mm.	58.5
I 350x150x12.0x24.0 mm.	87.2
I 400x150x10.0x18.0 mm.	72.0
I 400x150x12.5x25.0 mm.	95.8
I 450x175x11.0x20.0 mm.	91.7
I 450x175x13.0x26.0 mm.	115.0
I 600x190x13.0x25.0 mm.	133.0
I 600x190x16.0x35.0 mm.	176.0

ชั้นคุณภาพ : มอก. 1227-2558 เกรด SS 400 และ SM 520

Mat. : TIS 1227-2015 Grade SS 400 & SM 520







