



บริษัท อุดมโลหะกิจ (1975) จำกัด

และ

บริษัท ยู เอ็ม ที สตีล จำกัด

จำหน่ายเหล็กเอชบีเอ็ม (H-Beam)



<i>H Beam</i>	<i>Kg/M</i>
H 100x 50x5.0x7.0 mm.	9.3
H 150x 75x 5.0x 7.0 mm.	14.0
H 175x 90x 5.0x 8.0 mm.	18.1
H 198x 99x 4.5x 7.0 mm.	18.2
H 200x100x 5.5x 8.0 mm.	21.3
H 248x124x 5.0x8.0 mm.	25.7
H 250x125x 6.0x 9.0 mm.	29.6
H 298x149x5.5x8.0 mm.	32.0
H 300x150x 6.5x 9.0 mm.	36.7
H 346x174x 6.0x 9.0mm.	41.4
H 350x175x 7.0x11.0 mm.	49.6
H 354x176x 8.0x13.0 mm.	57.8
H 396x199x 7.0x11.0 mm.	56.6
H 400x200x 8.0x13.0 mm.	66.0
H 404x201x 9.0x15.0 mm.	75.5
H 446x199x 8.0x12.0mm.	66.2
H 450x200x 9.0x14.0 mm.	76.0
H 456x201x10.0x17.0 mm.	88.9
H 496x199x 9.0x14.0mm.	79.5
H 500x200x10.0x16.0 mm.	89.6
H 506x201x11.0x19.0 mm.	103.0
H 600x200x11.0x17.0 mm.	106.0
H 606x201x12.0x21.0 mm.	120.0
H 612x202x13.0x23.0 mm.	134.0
H 692x300x13.0x20.0 mm.	166.0
H 700x300x13.0x24.0 mm.	185.0
H 792x300x14.0x22.0 mm.	191.0
H 800x300x14.0x26.0 mm.	210.0
H 890x299x11.0x23.0 mm.	213.0
H 900x300x16.0x28.0 mm.	243.0
H 912x302x18.0x34.0 mm.	286.0

<i>H Beam</i>	<i>Kg/M</i>
H 100x100x 6.0x8.0 mm.	17.2
H 125x125x 6.5x 9.0 mm.	23.8
H 150x150x 7.0x10.0 mm.	31.5
H 175x175x 7.5x11.0 mm.	40.2
H 200x200x 8.0x12.0 mm.	49.9
H 200x204x12.0x12.0 mm.	56.2
H 208x202x10.0x16.0 mm.	65.7
H 244x252x11.0x11.0mm.	64.4
H 248x249x 8.0x13.0mm.	66.5
H 250x250x 9.0x14.0 mm.	72.4
H 250x255x14.0x14.0mm.	82.2
H 294x302x12.0x12.0 mm.	84.5
H 298x299x 9.0x14.0mm.	87.0
H 300x300x10.0x15.0 mm.	94.0
H 300x305x15.0x15.0 mm.	106.0
H 304x301x11.0x17.0 mm.	106.0
H 344x348x10.0x16.0 mm.	115.0
H 344x354x16.0x16.0 mm.	131.0
H 350x350x12.0x19.0 mm.	137.0
H 350x357x19.0x19.0 mm.	156.0
H 356x352x14.0x22.0 mm.	159.0
H 388x402x15.0x15.0 mm.	140.0
H 394x398x11.0x18.0mm.	147.0
H 400x400x13.0x21.0 mm.	172.0
H 400x408x21.0x21.0 mm.	197.0
H 414x405x18.0x28.0 mm.	232.0

<i>H Beam</i>	<i>Kg/M</i>
H 148x100x 6.0x 9.0 mm.	21.1
H 194x150x 6.0x 9.0 mm.	30.6
H 244x175x 7.0x11.0 mm.	44.1
H 294x200x 8.0x12.0 mm.	56.8
H 298x201x 9.0x14.0 mm.	65.4
H 336x249x 8.0x12.0 mm.	69.2
H 340x250x 9.0x14.0 mm.	79.7
H 386x299x 9.0x14.0 mm.	94.3
H 390x300x10.0x16.0 mm.	107.0
H 434x299x10.0x15.0 mm.	106.0
H 440x300x11.0x18.0 mm.	124.0
H 446x302x13.0x21.0 mm.	145.0
H 482x300x11.0x15.0 mm.	114.0
H 488x300x11.0x18.0 mm.	128.0
H 494x302x13.0x21.0 mm.	150.0
H 582x300x12.0x17.0 mm.	137.0
H 588x300x12.0x20.0 mm.	151.0
H 594x302x14.0x23.0 mm.	175.0

ชั้นคุณภาพ : มอก. 1227-2558 เกรด SS 400 และ SM 520
 Mat. : TIS 1227-2015 Grade SS 400 & SM 520





