

P.J. TEM LIFELINE

Lifeline – Fall Protection System

Our Lifeline is a critical safety component designed for working at heights. Manufactured from high-strength polyester, it serves as a dependable anchoring system to prevent falls during elevated tasks such as roofing, scaffolding, and other high-altitude operations.

When used in conjunction with a safety harness, the Lifeline ensured that in the event of a fall, the worker is safely suspended-significantly reducing the risk of injury by arresting the fall before reaching the ground.

P.J TEM LIFELINE Specifications

Material:	High-tensile Polyester
Rope Diameter:	16 millimeter.
Available rope lengths (Excluding hooks)	10,15,20 meters
Lifeline Rope Maximum load capacity	4,000 Kg.
Adela H-3101 Maximum load capacity	23.5 KN.

Lifeline and Hook images:



Available Lengths

- 10 meters
- 15 meters
- 20 meters



10 meters Lifeline



15 meters Lifeline




20 meters Lifeline



P.J.TEM

บริษัท พี เจ เท็ม จำกัด

Headquarter (สำนักงานใหญ่)
29/22 Moo.2 Leabklongsam Rd.
Klongsam, Klongluang,
Pathumthani 12120
Tax ID: 0-1355-45001-13-1



How to use P.J. TEM LIFELINE



P.J.TEM Lifeline in-use