



ตู้โชว์อุ่นอาหาร ตู้โชว์เย็น

- อุปกรณ์สำหรับอุ่นอาหาร ตู้โชว์อุ่น
- เครื่องทำน้ำแข็ง ตู้แช่แข็ง ตู้โชว์เย็น
- เครื่องทำไอศกรีม เครื่องจ่ายน้ำหวาน



บริษัท อิตัน แสตนด์าร์ด จำกัด จำกัด

นำเข้าและจำหน่าย อุปกรณ์เครื่องครัว, เครื่องมือ และอุปกรณ์สำหรับทำเบเกอรี่, เครื่องมือ
อุปกรณ์ และเฟอร์นิเจอร์สำหรับโรงแรม และรีสอร์ท , เครื่องมือ เครื่องจักรอุตสาหกรรม
อาหาร และบรรจุภัณฑ์

สำหรับธุรกิจโรงแรม, ภัตตาคาร , รีสอร์ท, ร้านอาหาร, ร้านเบเกอรี่, ร้านไอศกรีม หรือ
สำหรับผู้ผลิตอุตสาหกรรมอาหาร

บริษัท อิตัน แสตนด์าร์ด จำกัด

Tel : [02-706-3601-3](tel:02-706-3601-3) , [09-4486-9372](tel:09-4486-9372) , [09-4486-9273](tel:09-4486-9273)

URL: www.eton-standard.com , <http://etonstandard.yellowpages.co.th>

Email : etonstandard@yahoo.com , info@eton-standard.com



: etonstandard



Fast Food Equipment Ranges



Electric 2-Pan Bain Marie
Model: ET-TEM-2V
W565xD425xH230mm
Volt:220V/50Hz Power:1.5KW
N/W:9kg

Model: ET-TEM-2V-A
W700xD560xH230mm
Volt:220V/50Hz Power:1.5KW
N/W:10kg

Model: ET-TEM-2V-B
W700xD560xH280mm
Volt:220V/50Hz Power:1.5KW
N/W:12kg



Electric 3-Pan Bain Marie
Model: ET-TEM-3
W565xD415xH280mm
Volt:220V/50Hz Power:1.5KW
N/W:12kg

Model: ET-TEM-3V
W565xD415xH230mm
Volt:220V/50Hz Power:1.5KW
N/W:10kg

Model: ET-TEM-3V-A
W1050xD335xH230mm
Volt:220V/50Hz Power:1.5KW
N/W:16kg



Electric 4-Pan Bain Marie
Model: ET-TEM-4
W700xD615xH280mm
Volt:220V/50Hz
Power:1.5KW
N/W:16kg

Model: ET-TEM-4V
W700xD615xH230mm
Volt:220V/50Hz
Power:1.5KW
N/W:18kg



Electric 6-Pan Bain Marie
Model: ET-TEM-6V
W700xD635xH280mm
Volt:220V/50Hz
Power:1.5KW
N/W:19kg



Electric Bain Marie
Model: ET-JUS-TY-1
W400xD650xH475mm
Volt:220V/50Hz Power:0.75KW
N/W:17kg

Model: ET-JUS-TY-2
W600xD650xH475mm
Volt:220V/50Hz Power:1.2KW
N/W:24kg



Gas Bain Marie
Model: ET-JUS-TRB40
W400xD650xH475mm
Power:12,625BTU/hr
N/W:22kg



Gas Bain Marie
Model: ET-JUS-TRB60
W600xD650xH475mm
Power:13,649BTU/hr
N/W:28kg



Electric Bain Marie
Model: ET-TBM-2
W355xD600xH360mm
Volt:220V/50Hz
Power:1.2KW
N/W:12kg



Electric Bain Marie
Model: ET-TY-4
W700xD600xH350mm
Volt:220V/50Hz
Power:1.5KW
N/W:24kg



Electric Bain Marie
Model: ET-TEM-165
W335xD535xH240mm
Volt:220V/50Hz
Power:1.2KW
N/W:10kg



Electric Donut Fryer
Model: ET-TEF-10
W290xD400xH300mm
Volt:220V/50Hz
Power:1.5KW
N/W:6kg



Heating Lamp
Model: ET-HL-2A
W425xD357xH750mm
Volt:220V/50Hz
Power:0.5KW
N/W:2kg



Electric Chips Warmer
Model: ET-TFW-310
W340xD610xH545mm
Volt:220V/50Hz Power:1.5KW
N/W:7kg



Electric Warming Tray
Model: ET-TC-2F
W730xD580xH550mm
Volt:220V/50Hz Power:0.8KW
N/W:14kg



Electric Chips Warmer
Model: ET-JUS-TV40A
W400xD650xH723mm
Volt:220V/50Hz Power:0.8KW
N/W:23kg



Electric Chips Warmer
Model: ET-TC-1
W540xD380xH85mm
Volt:220V/50Hz Power:0.26KW
N/W:5kg

Food Warmer



Insulation Rice Cooker
Model : ET-KA-8196
W380xD480xH380mm
Volt:220V/50Hz Power:0.11KW
Capacity:12L



Counter Top Electric Chips Scuttle
Model : ET-TFW-8
W800xD710xH650mm
Volt:220V/50Hz Power:0.72KW
N/W:30kg



Electric Chips Scuttle
Model : ET-TFW-10
W1000xD770xH1570mm
Volt:220V/50Hz Power:1KW
N/W:85kg



Vacuum Marinator
Model : ET-YA-809
W953xD860xH914mm
Volt:220V/50Hz Power:0.5KW
N/W:75kg



Electric Marinator
Model : ET-YA-900
W953xD660xH914mm
Volt:220V/50Hz
Power:0.38KW
N/W:59kg



Electric Hot Drawer Bun Warmer
Model : ET-WL-02
W740xD590xH620mm
Volt:220V/50Hz Power:1KW

Model : ET-WL-03
W740xD590xH885mm
Volt:220V/50Hz Power:1.5KW



Air Patenting Warmer Trolley With Single Door
Model : ET-DHFL-11-21
W796xD980xH1970mm
Temperature:1-4°C
Refrigeration:HFC134a
Volt:220V/50Hz Power:0.67KW
Capacity:520L



Food Warmer Trolley With Single Door
Model : ET-DH-11-5
W790xD975xH1350mm
Bore Dimensions:
W540xD680xH940mm
Volt:220V/50Hz Power:2.62KW
Capacity:5 Layers
N/W:136kg



Food Warmer Trolley With Single Door
Model : ET-DH-11-21
W790xD975xH1795mm
Bore Dimensions:
W540xD680xH1380mm
Volt:220V/50Hz Power:2.62KW
Capacity:11 Layers N/W:182kg



Food Warmer Trolley With Double Door
Model : ET-DH-22-21
W1540xD940xH1795mm
Bore Dimensions:
W1350xD680xH1380mm
Volt:220V/50Hz Power:2.62KW
Capacity:22 Layers N/W:320kg



Electric Plate Warmer Trolley(1-Holder)
Model : ET-DRN-1
W420xD460xH930mm
Volt:220V/50Hz Power:1KW
Capacity:75 Plates
Plate Size:Ø8-12"
N/W:30kg



Electric Plate Warmer Trolley(2-Holder)
Model : ET-DRN-2
W420xD800xH930mm
Volt:220V/50Hz Power:2KW
Capacity:2x75 Plates
Plate Size:Ø8-12" N/W:43kg



Electric Plate Warmer Trolley(1-Holder)
Model : ET-DR-1
W450xD485xH770mm
Volt:220V/50Hz Power:0.4KW
Capacity:75 Plates
Plate Size:Ø8-12"
N/W:31kg



Electric Plate Warmer Trolley(2-Holder)
Model : ET-DR-2
W450xD910xH770mm
Volt:220V/50Hz Power:0.8KW
Capacity:2x75 Plates
Plate Size:Ø8-12"
N/W:48kg



Electric Plate Warmer(1-Holder)
Model : ET-DR-3
Φ405xH725mm
Volt:220V/50Hz Power:0.4KW
Capacity:75 Plates
Plate Size:Ø8-12"
N/W:19kg



Electric Cup Warmer (1-Holder)
Model : ET-2009/E-D
W320xD320xH545mm
Volt:220V/50Hz Power:0.14KW
Temperature:30-110°C
N/W:14kg



Showcase



Food Display Steamer
Model: ET-MME-500H
W380xD400xH745mm
Volt:220V/50Hz Power:0.9KW
N/W:27kg



Pizza Warming Showcase
Model: ET-DH-13
W500xD450xH770mm
Volt:220V/50Hz Power:0.9KW
N/W:27kg



Shelves Warming Showcase
Model: ET-DH-14
W550xD450xH770mm
Volt:220V/50Hz Power:0.88KW
N/W:27kg



Hot Counter
Model: ET-DH-1P
W350xD425xH500mm
Volt:220V/50Hz Power:0.85KW
N/W:16kg



Hot Counter
Model: ET-TFW-1P5
W350xD425xH700mm
Volt:220V/50Hz Power:0.75KW
N/W:18kg

Model: ET-MME-600H
W457xD518xH825mm
Volt:220V/50Hz Power:1.2KW
N/W:39kg



Curved Glass Warming Showcase
Model: ET-R60-1
W900xD480xH590mm
Volt:220V/50Hz:50kg
Power:1.84KW N/W

Model: ET-R60-2
W660xD437xH635mm
Volt:220V/50Hz
Power:1.84KW N/W:37kg

Model: ET-R60-3
W1200xD480xH810mm
Volt:220V/50Hz
Power:2.2KW N/W:72kg



Curved Glass Warming Showcase
Model ET-TFW-2P
W660xD470xH620mm
Volt:220V/50Hz
Power:1.2KW
N/W:27kg



Display Warming Showcase
Model: ET-DH-580
W640xD360xH530mm
Volt:220V/50Hz
Power:1KW N/W:21kg

Model: ET-DH-805
W865xD360xH620mm
Volt:220V/50Hz
Power:1.5KW N/W:35kg



Hot Display Showcase
Model: ET-TFW-2x2
W700xD640xH730mm
Volt:220V/50Hz Power:0.7KW
N/W:33kg

Model: ET-TFW-2x3
W1100xD640xH730mm
Volt:220V/50Hz Power:1.6KW
N/W:45kg




Sushi Display Showcase
Model: ET-CSS-1.2LC
W1200xD380xH320mm
Volt:220V/50Hz Power:0.18KW
Temperature:5~10°C N/W:40kg

Model: ET-CSS-1.5LC
W1500xD380xH320mm
Volt:220V/50Hz Power:0.21KW
Temperature:5~10°C N/W:45kg

Model: ET-CSS-1.8LC
W1855xD380xH320mm
Volt:220V/50Hz Power:0.26KW
Temperature:5~10°C N/W:60kg

Model: ET-CSS-2.0LC
W2030xD380xH320mm
Volt:220V/50Hz Power:0.3KW
Temperature:5~10°C N/W:65kg



Sushi Display Showcase
Model: ET-CSS-1.2LC2
W1200xD400xH500mm
Volt:220V/50Hz Power:0.21KW
Temperature:5~10°C N/W:50kg

Model: ET-CSS-1.5LC2
W1500xD400xH500mm
Volt:220V/50Hz Power:0.26KW
Temperature:5~10°C N/W:60kg

Model: ET-CSS-1.8LC2
W1855xD400xH500mm
Volt:220V/50Hz Power:0.3KW
Temperature:5~10°C N/W:70kg

Model: ET-CSS-2.0LC2
W2030xD400xH500mm
Volt:220V/50Hz Power:0.42KW
Temperature:5~10°C N/W:80kg



Curved Glass Warming Showcase
Model: ET-LTW-80
W905xD480xH488mm
Volt:220V/50Hz
Power:0.3KW
N/W:50kg



Curved Glass Warming Showcase
Model: ET-WYN-838
W730xD770xH730mm
Volt:220V/50Hz
Power:0.8KW



Hot Display Showcase
Model: ET-DH-6P-L
W1550xD810xH885mm
Volt:220V/50Hz Power:2.9KW
N/W:112kg

Model: ET-DH-6P-B-L
W1250xD810xH885mm
Volt:220V/50Hz Power:2.2KW
N/W:94kg

Model: ET-DH-8P
W1500xD750xH840mm
Volt:220V/50Hz Power:2KW
N/W:92kg



Display Cabinet



Horizontal-type Refrigerating Display Cabinet

Model	ET-WL-12	ET-WL-15	ET-WL-18	ET-WL-20
Dimensions (mm)	W1200xD730xH1250	W1500xD730xH1250	W1800xD730xH1250	W2000xD730xH1250
Refrigerating Power(W)	420	480	560	620
Total Power (W)	570	700	800	920
Volt	220/50Hz	220/50Hz	220/50Hz	220/50Hz
Refrigerant	R134a	R134a	R134a	R134a
Temperature Setting(°C)	3-6	3-6	3-6	3-6
N/W(kg)	150	190	240	300

Desktop-type Refrigerating Display Cabinet

Model	ET-WLT-68	ET-WLT-88
Dimensions (mm)	W900xD500xH710	W1050xD500xH710
Power(W)	320	380
Volt	220	220
Temperature Setting(°C)	3-6	3-6
N/W(kg)	45	55



Luxuriousiced Horizontal-Type Refrigerating Display Cabinet

Model	ET-WH3-12	ET-WH3-15	ET-WH3-18	ET-WH3-20
Dimensions (mm)	W1200xD780xH1320	W1500xD780xH1320	W1800xD780xH1320	W2000xD780xH1320
Refrigerating Power(W)	480	560	620	820
Total Power (W)	600	740	860	970
Volt	220/50Hz	220/50Hz	220/50Hz	220/50Hz
Refrigerant	R134a	R134a	R134a	R134a
Temperature Setting(°C)	3-6	3-6	3-6	3-6
N/W(kg)	170	200	260	320

Luxuriousiced Japanese-styled Right-angled Refrigerating Display Cabinet

Model	ET-FH-120	ET-FH-150	ET-FH-180	ET-FH-200
Dimensions (mm)	W1200xD700xH1250	W1500xD700xH1250	W1800xD700xH1250	W2000xD700xH1250
Refrigerating Power(W)	420	480	560	620
Total Power (W)	570	700	800	920
Volt	220/50Hz	220/50Hz	220/50Hz	220/50Hz
Refrigerant	R134a	R134a	R134a	R134a
Temperature Setting(°C)	3-6	3-6	3-6	3-6
N/W(kg)	160	190	230	300





Display Cabinet, Blender

Ice Cream Display Cabinet

Model	ET-WBQ-806	ET-WBQ-808	ET-WBQ-810	ET-WBQ-812	ET-WBQ-814
Dimensions (mm)	W1250xD760xH1300	W1600xD760xH1300	W1930xD760xH1300	W2280xD760xH1300	W2630xD760xH1300
Refrigerating Power(W)	750	800	860	1000	1150
Total Power (W)	860	920	1110	1160	1360
Volt	220/50Hz	220/50Hz	220/50Hz	220/50Hz	220/50Hz
Refrigerant	R404a	R404a	R404a	R404a	R404a
Temperature Setting(°C)	-16~-18	-16~-18	-16~-18	-16~-18	-16~-18
N/W(kg)	120	160	210	260	350



Rotary Type Cake Showcase

Model	ET-HRY-98
Dimensions (mm)	W500xD5000xH1050
Rated Input Power(W)	170
Volt	220/50~60Hz
Capacity-Gross(L)	72
N/W	41 Kg



Luxuriousiced Porridge(Sweetened Water) Cabinet

Model	ET-WLZ-12	ET-WLZ-16	ET-WLZ-20
Dimensions(mm)	W1200xD800xH1260	W1500xD800xH1260	W1800xD800xH1260
Power(W)	540	660	760
Volt	220V/50Hz	220V/50Hz	220V/50Hz
Refrigerant	R134a	R134a	R134a
N/W(kg)	190	240	290



Japanese-style Right-angled Refrigerating Display Cabinet

Model	ET-WLF-12	ET-WLF-15	ET-WLF-18	ET-WLF-20
Dimensions(mm)	W1200xD650xH1020	W1500xD650xH1020	W1800xD650xH1020	W2000xD650xH1020
Refrigerating Power(W)	420	480	560	620
Total Power(W)	570	700	800	920
Volt	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
Refrigerant	R134a	R134a	R134a	R134a
Temperature Setting(°C)	3-6	3-6	3-6	3-6
N/W(kg)	130	170	210	260



Juice Dispenser, Ice-cream Machine



Juice Dispenser
Model: ET-TLD-18P
W250xD386xH728 mm
Power: 0.26KW volt: 220V/50Hz
Capacity : 18L
N/W:24kg



Juice Dispenser
Model: ET-TLD-182P
W500xD386xH728 mm
Power: 0.54KW volt: 220V/50Hz
Capacity : 2x18L
N/W:39kg



Juice Dispenser
Model: ET-TLD-92P
W350xD358xH475 mm
Power: 0.26KW volt: 220V/50Hz
Capacity : 2x9L
N/W:25kg



Juice Dispenser
Model: ET-TLD-183P
W500xD386xH728 mm
Power: 0.68KW volt: 220V/50Hz
Capacity : 3x18L
N/W:39kg



Juice Dispenser
Model: ET-TLD-94P
W615xD358xH475 mm
Power: 0.88KW volt: 220V/50Hz
Capacity : 4x9L
N/W:36kg



Juice Dispenser
Model: ET-TLD-96P
W880xD358xH475 mm
Power: 0.96KW volt: 220V/50Hz
Capacity : 6x9L
N/W:50kg



Slush Dispenser
Model: ET-XRJ15X2
W430xD600xH740mm
Volt:220V/50Hz
Power(KW):0.55
N/W:53kg



Slush Dispenser
Model: ET-XRJ15X3
W600xD600xH740mm
Volt:220V/50Hz
Power(KW):0.6
N/W:62kg



Ice-Cream Machine
Model: ET-BQL-808-1
W518xD740xH780 mm
Power:1.7KW volt: 220V/50Hz
Yield : 18-25 L/h
N/W:108kg



Ice-Cream Machine
Model: ET-BQL-838
W518xD740xH1280 mm
Power:1.7KW volt: 220V/50Hz
Yield : 18-25 L/h
N/W:135kg



Commercial Freezer Work Table
Model: ET-TGP0.25W2A
W1500xD600xH810mm
Internal Dimensions:
W850xD500xH600mm
Volt:220V/50Hz
Power:0.18KW Capacity:270L
Temperature:0~10°C N/W: 89 kg

Model: ET-TGP0.4W2A
W1800xD750xH810mm
Internal Dimensions:
W1150xD650xH600mm
Volt:220V/50Hz
Power:0.21KW Capacity:420L
Temperature:0~10°C N/W:123kg



4 Door Commercial Freezer
Model: ET-1.0LG-4
W1220xD780xH2050mm
Internal Dimensions:W1100xD630xH1460mm
Volt:220V/50Hz Power:0.65KW
Capacity:1010L
Temperature:10~-18°C N/W:200kg

Model: ET-1.5LG-4
W1544xD780xH2050mm
Internal Dimensions:W1424xD630xH1460mm
Volt:220V/50Hz Power:1KW
Capacity:1300L
Temperature:10~-18°C N/W:210kg



Ice Cube Machine
Model: ET-NBL-20
W420xD520xH760mm
Power:0.29W Volt: 220V/50Hz
N/W:30kg

Model: ET-NBL-40
W500xD570xH805mm
Power:0.39kw Volt: 220V/50Hz
N/W:35kg

Model: ET-NBL-60
W590xD620xH990mm
Power:0.425kw Volt: 220V/50Hz
N/W:55kg

Model: ET-NBL-90
W690xD620xH990mm
Power:0.79kw Volt: 220V/50Hz
N/W:70kg



Commercial Working Table Refrigeration (Direct Cold/2-Door)
Model: ET-TG15L2A
Dimensions(mm):W1500xD760xH810
Internal Dimensions(mm):W970xD540xH620
Volt:220V/50Hz
Power(KW):0.325 Capacity:332L
Temperature:0~10°C N/W:95kg

Model: ET-TG18L2A
Dimensions(mm):W1800xD760xH810
Internal Dimensions(mm):W1150xD650xH600
Volt:220V/50Hz
Power(KW):0.355 Capacity:429L
Temperature:0~10°C N/W:130kg