

## AIR SPOT DRILLER

Optional accessory:Drill



### mus-719

Air spot drill reversible

### mus-580

Air spot drill reversible

Type	Drill Chuck Size(Inch)	Free Speed	Air Cons(l/min)	Air Pressure	Air Hose Size	Air Inlet	Overall Length	Net Weight	Price/Baht
mus-719	8 mm	2000 rpm	0.28m3/min	90 PSI	3/8"	1/4" NPT	220 mm	1.63 kg	13,500.-
mus-580	8 mm	500 rpm	0.12m3/min	90 PSI	3/8"	1/4" NPT	260 mm	1.50 kg	9,500.-

## AIR PUNCH



### mus-480

Air punch

### mus-485

Air punch

Type	Capacity Thickness (Stell Gauge)	Punching Hole Dia.	Air Cons(l/min)	Air Pressure	Air Hose Size	Air Inlet	Overall Length	Net Weight	Price/Baht
mus-480	1.4 mm	5 mm(8mm)	0.28m3/min	90 PSI	3/8"	1/4" NPT	254 mm	1.90 kg	8,500.-
mus-485	1.4mm	5 mm(8mm)	0.12m3/min	90 PSI	3/8"	1/4" NPT	203 mm	2 kg	9,500.-

## AIR CORD BUSER



### QH-19/QH-20

Type	Knife						Price/Baht
QH-19	Q63HN	9.5	11.1	12.7	13.1	14.3 mm	
QH-20	Q27HN	15.9	18	20	22 mm		

## ▶ Air Screwdriver / รุ่นปรับค่า Tarque ได้



▶ MUW-418

Clutch torque table Screwdriver



▶ MUW-4155

Clutch torque table Screwdriver



▶ MUW-4150

Clutch torque table Screwdriver



▶ MUW-4150L90

Clutch torque table Screwdriver 90

### Screwdriver

Type	Capacity(Bolt Dia)	Free Speed	Torque Max.	Bit Size	Net Weight	Overall Length	Price/Baht
MUW-418	4 mm	1000 rpm	2-15 kg	5mm&6.35mm	0.67 kg	230 mm	12,600.-
MUW-4155	4 mm	2000 rpm	2-15 kg	5mm&6.35mm	0.63 kg	196 mm	12,600.-
MUW-4150	2-4 mm	1200 rpm	2-15 kg	5mm	0.62 kg	220 mm	15,000.-
MUW-4150L90	2-4 mm	1200 rpm	2-15 kg	6mm	0.72 kg	260 mm	21,000.-

## ▶ SPRING BALANCER บอด้ทำจากเหล็กจะทนและแข็งแรงกว่าพลาสติก



### Spring Balancer

Type	Capacity	Length	Weight	Price/Baht
SB-600	0.3~0.6 kg	1.0 M	0.88 Lbs	1,250.-
SB-1200	0.6~1.5 kg	1.0 M	1.10 Lbs	1,250.-
SB-2000	1.0~2.0 kg	1.0 M	1.32 Lbs	1,250.-
SB-3000	1.5~3.0 kg	1.0 M	1.43 Lbs	1,900.-
SB-5000	3.0~5.0 kg	1.0 M	1.54 Lbs	3,200.-
SB-7000S	4.0~7.0 kg	1.0 M	2.97 Lbs	4,800.-
SB-9000	6.0~9.0 kg	1.0 M	3.30 Lbs	5,200.-

The "Line Reel" air hose balancer, without any hampering chain or rop blance the tool, contributes to keeping the work bench and work are uncluttered for safer operation, higher productivity, less operator fa and lonær tool life. Suspending capacity can be adjusted externally

▶ Precision Air ScrewDriver



▶ **MUS-905**  
Air Screw Driver



▶ **MUS-905X**  
Air Screw Driver



▶ **MUS-976**  
Air Screw Driver



▶ **MUS-924**  
Air Screw Driver



▶ **MUS-926**  
Air Screw Driver



▶ **MUS-306**  
Air Screw Driver



▶ **PS-1E**  
Air Screw Driver



▶ **MUS-810**  
Air Screwdriver-Angle Type



▶ **MUS-512**  
Air Screwdriver-Angle Type

มีขอสสำหรับเกี่ยวเข็มขัด  
สำหรับพกพา

むらさき(タイランド)株式会社

Air Screw Driver

Type	Capacity(bolt Dia)	Free Speed	Torque Max.	Bit Size	Net Weight	Overall Length	Price/Baht
MUS-905	6-8 mm	8000 rpm	200 kg/cm	6.35 mm	0.90 kg	187 mm	5,500.-
MUS-905X	5 mm	10000 rpm	80 kg/cm	6.35 mm	0.62 kg	187 mm	3,800.-
MUS-976	6 mm	7300 rpm	10-130 kg/cm	6.35 mm	1.10 kg	200 mm	10,900.-
MUS-924	6 mm	1800 rpm	45-145 in.lbs	6.35 mm	1.20 kg	280 mm	13,900.-
MUS-926	6 mm	8000 rpm	10-145 in.lbs	6.35 mm	1.20 kg	190 mm	12,900.-
MUS-306	8 mm	7000 rpm	80-180 in.lbs	6.35 mm	1.20 kg	190 mm	13,500.-
PS-1E	6-8 mm	1800 rpm	20-100 in.lbs	6.35 mm	1.0 kg	200 mm	12,900.-
MUS-810	8-10 mm	10000 rpm	160 kg/cm	6.35 mm	1.15 kg	180 mm	12,900.-
MUS-512	5-12 mm	10000 rpm	70 kg/cm	6.35 mm	0.96 kg	200 mm	16,900.-

▶ AIR IMPACT / ม้าถอน



▶ MUW-120B



▶ MUW-1921  
3/8" Air Impact



▶ MUW-729B  
3/8" Air Impact



▶ MUB-734B  
1/2" Air Impact



▶ MUB-730  
1/2" Air Impact



▶ MUB-730K  
1/2" Air Impact

Air Impact

Type	Square Driver	Free Speed	Torque Max.	Bit Size	Net Weight	Overall Length	Price/Baht
MUW-120B	3/8	260	20 ft.lbs		0.4 kg	120 mm	
MUW-1921	3/8	260	20 ft.lbs		0.4 kg	120 mm	
MUW-729B	3/8	200	35 ft.lbs		0.5 kg	160 mm	
MUB-734B	1/2	160	80 ft.lbs		1.2 kg	260 mm	
MUB-730	1/2	150	50 ft.lbs		1.13 kg	254 mm	
MUB-730K	1/2	150	50 ft.lbs		1.13 kg	250 mm	



▶ MUB-810  
3/8" Air WRENCH



▶ MUB-380  
3/8" Air WRENCH



▶ MUB-860  
3/8" Air WRENCH

Air Impact

Type	Square Driver	Free Speed	Torque Max.	Bit Size	Net Weight	Overall Length	Price/Baht
MUB-810	8-10 mm	8500	180 kg	9.5	1.05 kg	215 mm	16,500.-
MUB-380	3/8	8000	100 ft. ld	6.35	1.0 kg	200 mm	19,500.-
MUB-860	3/8	7000	100 ft. ld	6.35	1.2 kg	190 mm	17,500.-

むらさき(タイランド)株式会社

▶ MANUAL OPERATION SERIES

EXCELLENT QUALITY

& BEST SERVICE



HS-3A



HS-10



HS-30

Modle	Total Length	Weight	Dameter of Handle	Air Consumption	Air Pressure	Knife	Capacity of Cutting Pressing				
							Plastic		Copper	Iron	Stainless Steel
							Soft	Hard			
HS-3	112 mm	96 g	∅20 mm	35 cm <sup>3</sup> /回	4-5 kgf/cm <sup>2</sup>	S20/S20.1/S20S F10/F10S	---	---	∅ 0.8 mm	∅ 0.5 mm	∅ ---
HS-3A	118 mm	119 g	∅24 mm	45 cm <sup>3</sup> /回	4-5 kgf/cm <sup>2</sup>	S20/S20.1/S20S F10/F10S	---	---	∅ 1.2 mm	∅ 0.8 mm	∅ ---
HS-5	103 mm	146 g	∅30 mm	64 cm <sup>3</sup> /回	4-5 kgf/cm <sup>2</sup>	S2/S2.1/S2S F1/F1S	---	---	∅ 1.0 mm	∅ 0.5 mm	∅ ---
HS-10	124 mm	198 g	∅36 mm	116 cm <sup>3</sup> /回	4-5 kgf/cm <sup>2</sup>	S4/S4.1/S4S F3/FD3/F3S	---	---	∅ 1.6 mm	∅ 1.0 mm	∅ ---
HS-20	155 mm	378 g	∅45 mm	230 cm <sup>3</sup> /回	5-6 kgf/cm <sup>2</sup>	S5/S5S F5/FD5/F5S	---	---	∅ 2.6 mm	∅ 2.0 mm	∅ 1.6 mm
HS-30	193 mm	592 g	∅56 mm	584 cm <sup>3</sup> /回	5-6 kgf/cm <sup>2</sup>	S7P/S7P2/CR8P/EP7P/EP7P2	---	---	∅ 3.3 mm	∅ 2.8 mm	∅ 2.0 mm
						FD9P/F9P2/FD9P2/FR8P	∅ 10.0 mm	∅ 6.0 mm	---	---	---
						AR8WP	1.25-2.0 2.0-5.5 mm				
HS-50	256 mm	1300 g	∅75 mm	1170 cm <sup>3</sup> /回	5-6 kgf/cm <sup>2</sup>	A8WP3	1.25-2.0-5.5				
						S120	---	---	5.5 mm	4.5 mm	3.5 mm
						A120	8.0∅14.0				
						AR120	8.0				

むらさき(タイランド)株式会社

▶ MANUAL OPERATION SERIES OF AIR PRESSURE

Made in Japan



HS-25P



HS-35P

Modle	Total Length	Weight	Dameter of Handle	Air Consumption	Air Pressure	Knife	Capacity of Cutting Pressing				
							Plastic		Copper	Iron	Stainless Steel
							Soft	Hard			
HS-25P	245 mm	646 g	∅45 mm	503 cm <sup>3</sup> /回	5-6 kgf/cm <sup>2</sup>	S5/S5S F5/FD5/F5S	---	---	∅ 2.8 mm	∅ 2.4 mm	∅ 1.8 mm
HS-250P	250 mm	615 g	∅45 mm	503 cm <sup>3</sup> /回	5-6 kgf/cm <sup>2</sup>	S7P1/CR8P1 FD9P1/FR8P1	---	---	∅ 3.8 mm	∅ 3.0 mm	∅ 2.0 mm
HS-35P	283 mm	1016 g	∅56 mm	965 cm <sup>3</sup> /回	5-6 kgf/cm <sup>2</sup>	S7P/S7P2/CR8P/EP7P/EP10P	---	---	∅ 4.8 mm	∅ 4.0 mm	∅ 2.8
						FD9P/F9P2/FD9P2/FR8P	∅ 13.0 mm	∅ 6.5 mm	---	---	---
						AR8WP	1.25-2.0 2.0-5.5 mm				
HS-55P	372 mm	2000 g	∅75 mm	2670 cm <sup>3</sup> /回	5-6 kgf/cm <sup>2</sup>	A8WP3	1.25-2.0-5.5				
						S120	---	---	7.0	6.0	3.5
						A120	8.0∅14.0				
						AR120	8.0				

## ▶ Professional Micro Die Grinder 3 mm Diamond Hand Taper Files

### ▶ ROUND GRIP SERIES

### EXCELLENT QUALITY

Made in Japan

& BEST SERVICE




Modle	Total Length	Weight	Dameter of Handle	Air Consumption	Air Pressure	Knife	Capacity of Cutting Pressing				
							Plastic		Copper	Iron	Stainless Steel
							Soft	Hard			
HS-20M	155 mm	378 g	∅45 mm	230 cm <sup>3</sup> /回	5-6 kgf/cm <sup>2</sup>	S5/S5S	---	---	∅ 2.6 mm	∅ 2.0 mm	∅ 1.6 mm
						F5/FD5/F5S	∅ 7.0 mm	∅ 5.0 mm	---	---	---
HS-30M	193 mm	592 g	∅56 mm	584 cm <sup>3</sup> /回	5-6 kgf/cm <sup>2</sup>	S7P/S7P2/CR8P/EP7P	---	---	∅ 3.3 mm	∅ 2.8 mm	∅ 2.0 mm
						FD9P/F9P2/FD9P2/FR8P	∅ 10.0 mm	∅ 6.0 mm	---	---	---
HS-50M	256 mm	1300 g	∅75 mm	1170 cm <sup>3</sup> /回	5-6 kgf/cm <sup>2</sup>	AR8WP	1.25-2.0 2.0-5.5 mm				
						A8WP3	1.25-2.0-5.5				
						S120	---	---	5.5	4.5	3.5
						A120	8.0				
						AR120	8.0				

### ▶ ROUND GRIP SERIES OF AIR PRESSURE



Modle	Total Length	Weight	Dameter of Handle	Air Consumption	Air Pressure	Knife	Capacity of Cutting Pressing				
							Plastic		Copper	Iron	Stainless Steel
							Soft	Hard			
HS-25MP	210 mm	522 g	∅45 mm	503 cm <sup>3</sup> /回	5-6 kgf/cm <sup>2</sup>	S5/S5S	---	---	∅ 2.8 mm	∅ 2.4 mm	∅ 1.8 mm
						F5/FD5/F5S	∅ 8.0 mm	∅ 6.0 mm	---	---	---
HS-250MP	215 mm	508 g	∅45 mm	508 cm <sup>3</sup> /回	5-6 kgf/cm <sup>2</sup>	S7P1/CR8P1	---	---	∅ 3.8 mm	∅ 3.0 mm	∅ 2.0 mm
						FD9P1/FR8P1	∅ 8.0 mm	∅ 6.5 mm	---	---	---
HS-35MP	253 mm	890 g	∅56 mm	965 cm <sup>3</sup> /回	5-6 kgf/cm <sup>2</sup>	S7P/S7P2/CR8P/EP7P/EP10P	---	---	∅ 4.8 mm	∅ 4.0 mm	∅ 2.8
						FD9P/F9P2/FD9P2/FR8P	∅ 13.0 mm	∅ 6.5 mm	---	---	---
HS-55MP	348 mm	1890 g	∅75 mm	2670 cm <sup>3</sup> /回	5-6 kgf/cm <sup>2</sup>	AR8WP	1.25-2.0 2.0-5.5 mm				
						A8WP3	1.25-2.0-5.5				
						S120	---	---	7.0	6.0	3.5
						A120	8.0 ∅14.0				
						AR120	8.0				

### ▶ ILLUSTRATION:KNIFE SHAPE



▶ PROFESSIONAL AIR HAMMER / NEEDLE SCALER

TJF CONTER SINK



**MSW-898**

Air Palm hammer  
Available Match - Hammer  
Aluminium  
Iron  
Rubber  
(blue Ired yellow black)



**MSW-881**

Palm hammer nailer



**MSW-899**

Straight type hammer  
For shoes, leather and wood  
furniture factories



**MSW-F25D**

Straight type hammer  
Suitable for sheet meta



**MSW-F1**

Flux chipper  
specially for Stone



**MSW-132CN**

Flux chipper  
3mm x 12



**MSW-F2**

Flux chipper



**MSW-281CN**

Needle scaler  
3mmx19pcs



**MSW-F20CN**

Flux chipper  
3mm x 19



**MSW-F20PN**

Flux chipper  
3mm x 19



**MSW-F25CN**

Flux chipper  
3mm x 19



**MSW-F203K**

(HP-240+SW-203)  
Needle scaler KIT  
3mm x 19pcs

**MSW-F20C**

Flux chipper

**MSW-F20P**

Flux chipper

**MSW-F25C**

Flux chipper

TYPE	Bore Size	Bolws Per Minute	Stroke Length	Chisel Shank Dia	Air Cons	Net Weight	Overall Length	Price
MSW-898		1000			0.12m <sup>3</sup> /min	0.91kg	115mm	12,500.-
MSW-881		1000			0.12m <sup>3</sup> /min	1.90kg	125mm	14,000.-
MSW-899	3/4"	5000	5/8"	3/8"	0.11m <sup>3</sup> /min	0.90kg	170mm	12,500.-
MSW-F25D	3/4"	4400	1-7/8"	3/8"	0.20m <sup>3</sup> /min	5.00kg	400mm	12,500.-
MSW-F1	3/4"	5000	5/8"	3/8"	0.11m <sup>3</sup> /min	0.80kg	175mm	11,000.-
MSW-132CN	3/4"	6000	1-5/8"	3/8"	0.15m <sup>3</sup> /min	1.23kg	290mm	11,000.-
MSW-F2	7/8"	4000	7/8"	3/8"	0.14m <sup>3</sup> /min	1.10kg	187mm	9,000.-
MSW-281CN	3/4"	4000	1-1/8"	3/8"	0.24m <sup>3</sup> /min	2.80kg	410mm	11,000.-
MSW-F20CN	3/4"	4000	1-5/8"	3/8"	0.20m <sup>3</sup> /min	2.75kg	400mm	14,000.-
MSW-F20PN	3/4"	4000	1-5/8"	3/8"	0.20m <sup>3</sup> /min	2.75kg	360mm	12,000.-
MSW-F25CN	3/4"	4400	1-7/8"	3/8"	0.12m <sup>3</sup> /min	2.60kg	416mm	17,500.-
MSW-203K	3/4"	2100	3-1/2"	3/8"	0.11m <sup>3</sup> /min	1.80kg	225mm	16,500.-

むらさき(タイランド)株式会社





▶ AIR HYDRAULIC RIVETER



▶ MAR-211

Pneumatic Hydraulic Riveter

▶ MAR-211AB

Pneumatic Hydraulic Riveter

▶ MAR-700

Pneumatic Hydraulic Riveter  
Riveter Stainless Steel nail:4.8 mm

Air Impact

Type	Huckbolt Setting Capacity	Traction Power	Stroke	Air Pressure	Net Weight	Price/Baht
AR-211	2.4/3.2/4.0/4.8 mm	1586 Lbs	15 mm	90 PSI	1.55 kg	5,000.-
AR-211AB	2.4/3.2/4.0/4.8 mm	1586 Lbs	15 mm	90 PSI	1.55 kg	7,500.-
AR-700M	2.4/3.2/4.0/4.8 mm	2000 Lbs	14 mm	90 PSI	1.8 kg	13,500.-

▶ PNEUMATIC-HYDRAULIC PULL-SETTERS



▶ LT-081S

W/4,5,6 8mm pull nut

▶ LT-081PS

W/5,6,8,10mm pull nut

▶ LT-081A-12

W/10,12mm pull nut



Semi-Automatic,  
Pulling by hand

▶ HPS-0310

W/M3~M10 pull nut

▶ HPS-0412

W/M4~M12 pull nut

▶ HPS-0410

W/M4~M10 pull nut

Type	Huckbolt Setting Capacity	Traction Power	Stroke	Air Pressure	Net Weight	Price/Baht
LT-081S	M4-M8		7mm	4-8kg/cm2	2.90 kg	
LT-081PS	M5-M10		7mm	4-8kg/cm2	2.90 kg	
LT-081A-12	M10-M12		7mm	4-8kg/cm2	3.15 kg	
HPS-0310	M3-M10(M12)	2176kgf	7mm	4-8kg/cm2	2.48 kg	
HPS-0412	M4-M12	2727kgf	16.5mm	4-8kg/cm2	3.77 kg	
HPS-0410	M4-M10	1860kgf	23mm		3.00 kg	

▶ PROFESSIONAL AIR HAMMER / NEEDLE SCALER



**MSW-16PN**  
Needle scaler professional



**MSW-20CN**  
Needle scaler professional



**MSW-24PN**  
Needle scaler professional



**MSW-28PN**  
Needle scaler professional  
Available Match :  
(2mm x 66pcs /; 4mm x 14pcs)



**MSW-28PNA**  
Needle scaler professional  
Available Match :  
(2mm x 66pcs /; 4mm x 14pcs)



**MSW-130/3LR-6LR**  
Flux chipper  
Chisel Width :  
100 x 70 x 50 x 40mm




**MSW-28BP**  
Flux chipper



**MSW-120PN**  
Needle scaler professional  
Available Match :  
(2mm x 66pcs /; 3mm x 49pcs)



**MSW-130F**  
Needle scaler professional  
Available Match :  
(4mm x 19pcs)



**MSW-660/880**  
Needle scaler shock absorption type



**MSW-840/860/870**  
Needle scaler shock absorption type



**MSW-90 MPN**  
Mini Needle scaler

shock absorption type

shock absorption type

Mini Needle scaler

TYPE	Bore Size	Bolws Per Minute	Chisel Shank Dia	Air Cons	Net Weight	Overall Length
SW-16PN	3/4"	4000	2x150mmx29pcs	0.10m <sup>3</sup> /min	1.40kg	210mm
SW-20CN	3/4"	4000	3x180mmx12	0.20m <sup>3</sup> /min	2.40kg	320mm
SW-24PN	3/4"	3500	3x180mmx23pcs	0.22m <sup>3</sup> /min	2.70kg	348mm
SW-28PN	28x26x56	4500	3x180mmx28pcs	0.25m <sup>3</sup> /min	3.50kg	373mm
SW-28PNA	28x26x56	3500	3x180mmx28pcs	0.25m <sup>3</sup> /min	4.20kg	360mm
SW-130/3LR-6LR	28.5x23.8x90mm	1600		0.74m <sup>3</sup> /min	8.20	464mm
SW-120BP	28.5x23.8x90	2000	100x75x50	0.28m <sup>3</sup> /min	11.5kg	620x1520x18x20mm
SW-120PN	33x28.5x94	2200	4x180mmx35pcs	0.28m <sup>3</sup> /min	5.00kg	400mm
SW-130F	28.5x23.8x90	2000	3x180mmx28pcs	0.28m <sup>3</sup> /min	11.5/ 6.2kg	620mm
SW-660/880	3/4"	3000/2400	3x180mmx19pcs	0.28m <sup>3</sup> /min	2.20/2.50kg	420/435mm
SW-840/860/870	3/4"	3000/2400/1800	3x180mmx19pcs	0.28m <sup>3</sup> /min	3.32/3.66kg	420/435/470mm
HP-90MPN	3/4"	3600	3x180mmx12pcs	0.13m <sup>3</sup> /min	1.30kg	280mm

▶ PBL-2000

**▶ PROFESSIONAL AIR DRILL**



**▶ MUW-815**  
3/8" Air Drill



**▶ MUW-215**  
3/8" Air Drill



**▶ KL-204GC**  
3/8" Air Drill 90



**▶ MUW-213**  
3/8" Air Drill reversible



**▶ KL-301**  
3/8" Air Drill reversible



**▶ KL-302**  
3/8" Air Drill reversible



**▶ MUW-659**  
3/8" Air Drill reversible



**▶ MUW-8P**  
Air Drill & Air Fast  
Tapping Tools



**▶ KL-304**  
1/2" Air Drill reversible

**Air Screw Driver**

Type	Drill Chuck Size	Spinder Thread	Free Speed	Air Hose Size	Net Weight	Overall Length	Price/Baht
MUW-815	3/8"	3/8-24 NUF	20000	3/8 x 1/4	0.70 kg	190 mm	3,900.-
MUW-215	10 mm	3/8-24 NUF	2500	3/8 x 1/4	0.90 kg	210 mm	4,900.-
KL-204GC	1/4"	3/8-24 NUF	1800	3/8 x 1/4	0.76 kg	136 mm	5,500.-
MUW-283	3/8"	3/8-24 NUF	1800	3/8 x 1/4	0.94 kg	175 mm	5,500.-
KL-301	3/8"	3/8-24 NUF	2200	3/8 x 1/4	1.24 kg	177 mm	3,000.-
KL-302	3/8"	3/8-24 NUF	1800	3/8 x 1/4	1.24 kg	177 mm	3,500.-
MUW-659	3/8"	3/8-24 NUF	1800	3/8 x 1/4	1.25 kg	175 mm	5,500.-
MUW-8P	3/8"	3/8-24 NUF	1700	3/8 x 1/4	1.40 kg	200 mm	
KL-304	1/2"	3/8-24 NUF	800	3/8 x 1/4	1.90 kg	203 mm	5,900.-